

English
2024



AUDIOLOGY
CATALOGUE

#pureScanning

GERMAN ENGINEERING | ATTENTION TO THE DETAILS | QUALITY | PRECISION | DURABILITY






TABLE OF CONTENTS

WELCOME	3
SMART OPTICS - HOME OF 3D SCANNERS	4
QUALITY	5
PRODUCTS	6
<i>FREE STAGE ONE</i>	8
<i>FREES STAGE TWIN</i>	10
<i>MONO SCAN</i>	12
<i>DUO SCAN</i>	14
<i>AURAL SCAN</i>	16
3D CALIBRATION	18
BRAINPOWER	20



Follow us: [!\[\]\(1d3a1175dd4902218e694b9c098adb83_img.jpg\)](#) [!\[\]\(e2297bc882e4a3f95bff068ab9c9101f_img.jpg\)](#) [!\[\]\(69eafe5577bb2820ded2637faee72eea_img.jpg\)](#) / smartopticsDE

WELCOME

GERMAN ENGINEERING

"We rely on 'Made in Germany' quality for our scanners. All of our audiology products are maintenance-free, dependable and affordable for businesses of all sizes. We do our best every day to find the ideal solution for our partners and customers. Our work focuses on our own quality requirements and ultimately on the 'satisfied owners of hearing aids'. This is proven by the low repair rate of our 3D scanners. For this reason I am particularly proud of my team, which makes smart optics what it is: competent and purposeful."

Dipl. Ing. Jörg Friemel, CEO
smart optics Sensortechnik GmbH

SMART OPTICS

HOME OF 3D SCANNERS

MANUFACTURER OF DEPENDABLE
3D AUDIOLOGY SCANNERS



OEM

Want a unique design for one of our 3d scanners? We'll create it to match your ideas and needs.



MADE IN GERMANY

Our goal is to consistently deliver the highest quality and facilitate streamlined workflows for your company.



36-MONTH WARRANTY

Your satisfaction is our priority! That's why we offer great confidence in our 3D scanners with a 36-month warranty



ISO CERTIFIED

Top-notch quality assured with our ISO certification at smart optics, ensuring transparency and excellence.

Our products have firmly established themselves in the audiology industry due to their performance and quality. Fulfilling customer requirements and finding new, innovative solutions are our daily challenges and therefore part of our core competence. For us, the EN ISO 13485 standard is not only mandatory for the design and manufacture of medical products but also part of our quality commitment and promise. The voluntary implementation of DIN EN ISO 9001 represents the cornerstone of our business activities. We are convinced of our quality, so that all our products have a 36-month warranty.



QUALITY

Quality Control

At smart optics, quality and service always comply with the ISO 9001 and 13485 standards.



Quality Management System



Quality Management System for
Medical Devices

PRODUCTS

ATTENTION TO THE DETAILS



■ free Stage one



■ free Stage twin

Our audiology products free Stage one, free Stage twin, mono Scan and duo Scan are 3D scanners for the digitization of ear impressions, precisely tailored to your specific needs. As a HIMSA member company, smart optics equips all scanners with a Noah interface as a matter of course, allowing the scanners' software to be integrated into your Noah system.



■ mono Scan



■ duo Scan

■ free Stage one



The free Stage one was created for acousticians who are looking for a modern, open store solution. The open view into the measuring area allows the user to demonstrate his customers the complete scanning process in an impressive way. The impressions can be inserted one after the other, remarkable is the nearly noiseless operation at a scanning speed of only 13 seconds.

The open standard output formats allow the files to be processed by industrial manufacturing centers or in all industry-standard CAD software solutions. Compatibility with Noah and winIPRO is also ensured.

The slimly designed 3D scanner can be used in even the smallest branches.



FEATURES

- ✓ Quick start function
- ✓ Annotating and commenting
- ✓ Several naming methods
- ✓ Barcode naming* Required: Barcode scanner
- ✓ 3D calibration* Required: 3D calibration object
- ✓ Color texture scan optional (> 20 devices)
- ✓ Project export including FTP upload, network drive and e-mail



DUST COVER



The handmade dust cover is non-transparent and repellent (water, dirt, oil). Slots especially designed to connect devices exist and ensure a perfect fit.




SCOPE OF DELIVERY

- 1 free Stage one
- 1 Object holder (silver)
- 1 Power cable
- 1 USB cable
- 1 Scanning software with calibration data

MEASUREMENT

Accuracy	< 9 µm
Scan time	13 seconds* (one impression)
Sensor technology	Structured light triangulation with long-life high performance LED
Scan quality resolution	variable
Output format	STL, HPS, PLY, ASCII, MSH

DEVICE INFORMATION

Size (W × L × H)	186 × 292 × 348 mm
Weight	6 kg
Supply voltage	100 - 240 VAC, 50/60 Hz
Connections	1 USB 1 Power
Touch sensor	—
Open scanning	✓
Warranty	36 months
Warranty extension	 12 months

SOFTWARE

Scanning software	aural Scan
Noah compatible	✓
IPro compatible	✓

*Plus Matching time 3-10 seconds, depending on PC configuration.

■ free Stage twin



The free Stage twin turns any workplace into an eye-catcher. The modern, slim design of the 3D scanner combines its elegant look with a robust construction. The open scanner simplifies workflows and gives users the opportunity to let their customers experience the complete scanning process in an impressive way. The free Stage twin can scan two impressions simultaneously. With the help of the coloured needle adapters, the assignment of the impressions is visually simplified. The user can decide whether the 3D data is to be captured monochrome or whether marked textures are to be made visible with the help of a color scan.

The touch sensor of the free Stage twin allows to start the nearly noiseless scanning process directly at the scanner. The open standard output formats enable the files to be processed by industrial manufacturing centers or in all industry-standard CAD software solutions. Compatibility with Noah and winIPRO is also ensured.

The free Stage twin impresses with its high quality, making it the perfect partner for hearing care professionals.



FEATURES

- ✓ Quick start function
- ✓ Annotating and commenting
- ✓ Several naming methods
- ✓ Barcode naming* Required: Barcode scanner
- ✓ 3D calibration* Required: 3D calibration object
- ✓ Color texture scan
- ✓ Project export including FTP upload, network drive and e-mail



DUST COVER



The handmade dust cover is non-transparent and repellent (water, dirt, oil). Slots especially designed to connect devices exist and ensure a perfect fit.




SCOPE OF DELIVERY

- 1 free Stage twin
- 2 Object holders (blue and red)
- 1 Power cable
- 1 USB cable
- 1 Scanning software with calibration data

MEASUREMENT

Accuracy	< 9 µm
Scan time	13 seconds* (two impressions simultaneously)
Sensor technology	Structured light triangulation with long-life high performance LED
Scan quality resolution	variable
Output format	STL, HPS, PLY, ASCII, MSH

DEVICE INFORMATION

Size (W × L × H)	186 × 292 × 348 mm
Weight	6.5 kg
Supply voltage	100 - 240 VAC, 50/60 Hz
Connections	1 USB 1 Power
Touch sensor	✓
Open scanning	✓
Warranty	36 months
Warranty extension	 12 months

SOFTWARE

Scanning software	aural Scan
Noah compatible	✓
IPro compatible	✓


*Plus Matching time 3-10 seconds, depending on PC configuration.

■ mono Scan



The mono Scan from smart optics allows to generate 3D data from ear impressions. The handy desktop scanner is the digitization entry-level solution for ENT doctors' offices and smaller shops. It offers a particularly cost-effective basis for creating, digital ear impressions and stands out due to its elegant appearance.

A single impression can be recorded within a very short time. Standard open output formats facilitate the connection to industrial manufacturing centres or to your own CAD software.



FEATURES


- ✓ Quick start function
- ✓ Annotating and commenting
- ✓ Several naming methods
- ✓ Barcode naming* Required: Barcode scanner
- ✓ 3D calibration* Required: 3D calibration object
- ✓ Color texture scan optional (> 20 devices)
- ✓ Project export including FTP upload, network drive and e-mail



SCOPE OF DELIVERY

- 1 mono Scan
- 1 Object holder (silver)
- 1 Power cable
- 1 USB cable
- 1 Scanning software with calibration data

MEASUREMENT	
Accuracy	< 9 µm
Scan time	13 seconds* (one impression)
Sensor technology	Structured light triangulation with long-life high performance LED
Scan quality resolution	variable
Output format	STL, HPS, PLY, ASCII, MSH

DEVICE INFORMATION	
Size (W × L × H)	280 × 332 × 135 mm
Weight	5.5 kg
Supply voltage	100 - 240 VAC, 50/60 Hz
Connections	1 USB 1 Power
Warranty	36 months
Warranty extension	 12 months

SOFTWARE	
Scanning software	aural Scan
Noah compatible	✓
IPRO compatible	✓

*Plus Matching time 3-10 seconds, depending on PC configuration.

■ duo Scan



The duo Scan is a reliable 3D scanner for digitizing ear impressions and was designed for daily use in ENT doctors' offices, shops and production. The compact, powerful scanner can be added seamlessly to any workstation.

Its unobtrusive design and the pleasant operating sound level are an advantage when the device is up inside the shop. The short scanning time ensures a high daily throughput.



FEATURES


- ✓ Quick start function
- ✓ Annotating and commenting
- ✓ Several naming methods
- ✓ Barcode naming* Required: Barcode scanner
- ✓ 3D calibration* Required: 3D calibration object
- ✓ Color texture scan
- ✓ Project export including FTP upload, network drive and e-mail



SCOPE OF DELIVERY


- 1 duo Scan
- 2 Object holders (blue and red)
- 1 Power cable
- 1 USB cable
- 1 Scanning software with calibration data

MEASUREMENT	
Accuracy	< 9 µm
Scan time	13 seconds* (two impressions simultaneously)
Sensor technology	Structured light triangulation with long-life high performance LED
Scan quality resolution	variable
Output format	STL, HPS, PLY, ASCII, MSH

DEVICE INFORMATION	
Size (W × L × H)	280 × 332 × 135 mm
Weight	6 kg
Supply voltage	100 - 240 VAC, 50/60 Hz
Connections	1 USB 1 Power
Warranty	36 months
Warranty extension	 12 months

SOFTWARE	
Scanning software	aural Scan
Noah compatible	✓
IPro compatible	✓

*Plus Matching time 3-10 seconds, depending on PC configuration.



SCANNING SOFTWARE

AURAL SCAN

Precise. Efficient. QM compliant.

smart optics' 3D audiology scanners are equipped with the aural Scan scanning software. aural Scan was developed in close contact with audiologists to optimize the digitization of ear impressions (individually or in pairs) and to design an efficient workflow.

aural Scan is a reliable and stable software for the demanding everyday life, with a modern, structured design. The focus here is on intuitive user-friendliness, speed and accuracy. Ear impressions can be digitized quickly with aural Scan. User instructions offer a safe guideline through all work steps.

aural Scan is completed by useful features that facilitate the workflow and save valuable time.

The digital workflow begins with the scan.

The process starts directly to support fast working. Names can be assigned at any time, automatically, manually or optionally by means of barcodes. The system is flexible and can be adapted to individual specifications.

All software tools are clearly arranged and identified by means of appealing icons. The 3D viewer has variable views of scans and features correction functions. Editing notes can be recorded both as pinpointed annotations and project comments. For jobs where every detail of the surface texture is important, the colored texture scan can be activated.

The export function facilitates order communication: The completed scan project can be saved as a ZIP archive, sent by email or uploaded to an FTP server. A configurable PDF document clearly summarizes the orders' data.



When HIMSA's Noah is in use, the integrated interface allows scanner workstations to be integrated into the Noah system. The Noah patient browser is the starting point for the scanning process: Simply select the patient and start aural Scan. Noah workstations without a scanner can be allowed for using aural Scan to view scans.

aural Scan can be adapted to different needs. Among others, the following can be configured: Language (Chinese, Czech, English, French, German, Greek, Italian, Japanese, Korean, Portuguese, Romanian, Russian, Spanish and Turkish), file formats

(STL, HPS, PLY, MSH and ASCII), file storage, impression color, scan strategy, quality, automatic cutting or also the impression color. aural Scan can work with individual user profiles.

All aural Scan functions mentioned above are included in the standard scope of delivery (the rescanning functions are not available for mono Scan and free Stage one).

smart optics' 3D scanners and software meet the highest quality standards. Thanks to regular axis calibration, scans always achieve a high level of accuracy.



AURAL SCAN SYSTEM REQUIREMENTS

Recommended

- Windows 11 64-Bit
- Quad Core CPU, i5
- 8 GB RAM
- USB 3.0 Port
- HDD with approx. 80 GB free disk space
- Graphics card with min. 2 GB RAM

■ 3D CALIBRATION



Meet the growing requirements of quality management with the 3D calibration function included in the aural Scan scanning software.

For the highest requirements, e.g. in quality management, smart optics recommends the optional 3D calibration, for which a special 3D calibration object is required (available as an accessory). The extensive process calibrates the sensor, the axes and the mesh calculation.

After validation, aural Scan creates a test report that documents the current accuracy. A video in the smart optics university explains how to use the 3D calibration and where you can access the protocols.

Would you be interested in expanding your knowledge on 3D calibration? Our sales team is eager to assist you.



PRECISION

ACCURACY IS OUR STRENGTH

Attention to the details, German engineering, quality and accuracy are not just empty words for smart optics, but are part of the company's cornerstone and are responsible for the fact that the 3D scanner manufacturer is a company with heart and mind.

The medium-sized company was founded in Bochum in 1997 and keeps its roots in the field of measurement technology to this day. The first scanners went into series production in the 2000s, and since then, the Bochum-based company has been developing, producing and expanding its product portfolio.

At smart optics, all company areas are united under one roof, ensuring the smooth running of all processes. The 3D scanners Made in Germany set international standards and enjoy the highest level of customer satisfaction.



BRAINPOWER

& FUTURE THINKING

Our products have firmly established themselves in the dental and audiology industry, as well as in electronics, due to their performance and quality. Our long-standing experience and the constant exchange with our customers help us to further develop and improve our products in a customer-, quality- and future-oriented manner.

Fulfilling customer requirements and finding new, innovative solutions are our daily challenges and therefore part of our core competence. We concentrate on implementing projects quickly and in a targeted manner, in close cooperation with our customers and development partners.

WE ARE HERE FOR YOU

We focus on people – our customers as well as our employees. Without the commitment of our employees, we would not be able to grow and be successful on the market.

Short Facts

☆ Established in 1997

🏠 Bochum | Germany

👤 > 50 employees

💻 > 2,000* dental scanners
> 1.000* audiology scanners (* per year)

👥 > 100 international resellers

WE ADVISE YOU ACCORDING TO YOUR NEEDS

Upon request, you will receive detailed advice on our products: on site, by phone or via the Internet. The consultation is primarily about establishing precisely the right focus for your needs. Increase the performance of your company with our solutions.

WE ARE VERY PARTICULAR ABOUT YOUR NEEDS

OUR SERVICES

- OEM and standard solutions
- Product training for our resellers in the fields of sales and support
- Long-term project planning
- Fulfilment of high quality standards in manufacturing and development
- Support with market approvals for the target markets of our customers
- Development of complex logistics processes



smart optics Sensortechnik GmbH
Lise-Meitner-Allee 10
44801 Bochum, Germany



+49 (0) 234 29 828 0



+49 (0) 234 29 828 20



info@smartoptics.de



www.smartoptics.de



/smartopticsDE